Form PTO-1449 (modified)	Atty. Docket No. UTSD:546USD1/GNS	Serial No. 09/748,451
List of Patents and Publications for Applicant's INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	Applicant Xiaodong Wang and Xuesong Liu	
	Filing Date: December 22, 2000	Group: 1652

U.S. Patent Documents	Foreign Patent Documents	Other Art
See Page 1	*See Page 1*	*See Page 1*

U.S. Patent Documents

Exam. Init.	Ref. Des.	Document Number	Date	Name	Class	Sub Class	Filing Date of App.
WW	A1	5,912,141	6/15/99	Brojatsch *et al.*	435	69.1	

Foreign Patent Documents

Exam. Init.	Ref. Des.	Document Number	Date	Country	Class	Sub Class	Translation Yes/No
	B1						

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
WW	C1	Alnemri *et al.*, "Human ICE/CED-3 protease nomenclature," *Cell*, 87:171, 1996.
	C2	Casicola-Rosen *et al.*, "Apopain/CPP32 cleaves proteins that are essential for cellular repair: a fundamental principle of apoptotic death," *J. Exp. Med.*, 183:1957-1964, 1996.
	C3	Chinnaiyan *et al.*, "Molecular ordering of the cell death pathway," *J. Biol. Chem.*, 271(9):4573-4576, 1996.
	C4	Darmon *et al.*, "Cleavage of CPP32 by granzyme B represents a critical role for granzyme B in the induction of target cell DNA fragmentation, " *J. Biol. Chem.*, 271:21709-21712, 1996.
	C5	Datta *et al.*, "Activation of the CPP32 protease in apoptosis induced by 1-β-D-arabinofuranosylcytosine and other DNA-damaging agents," *Blood*, 88(6):1936-1943, 1996.
	C6	Datta *et al.*, "Activation of a CrmA-insensitive, p35-sensitive pathway in ionizing radiation-induced apoptosis," *J. Biol. Chem.*, 272(3):1965-1969, 1997.
	C7	Dubrez *et al.*, "Pivotal role of a DEVD-sensitive step in etoposide-induced and Fas-mediated apoptotic pathways," *J. EMBO.*, 15(20):5504-5512, 1996.
	C8	Enari *et al.*, "Sequential activation of ICE-like and CPP32-like proteases during Fas-mediated apoptosis," *Nature*, 380:723-726, 1996.
WW	C9	Enari *et al.*, "A caspase-activated Dnase that degrades DNA during apoptosis, and its inhibitor ICAD," *Nature*, 391(1):43-50, 1998.

25036660.1

EXAMINER: William W. Moore | DATE CONSIDERED: 29 May 2003

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

Form PTO-1449 (modified)	Atty. Docket No. UTSD:546USD1/GNS	Serial No. 09/748,451
List of Patents and Publications for Applicant's INFORMATION DISCLOSURE STATEMENT	Applicant Xiaodong Wang and Xuesong Liu	
(Use several sheets if necessary)	Filing Date: December 22, 2000	Group: 1652

U.S. Patent Documents	Foreign Patent Documents	Other Art
See Page 1	*See Page 1*	*See Page 1*

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
WWM	C10	Erhardt and Cooper, "Activation of the CPP32 apoptotic protease by distinct signaling pathways with differential sensitivity to Bcl-x_L," *J. Biol. Chem.*, 271(30):17601-17604, 1996.
	C11	Faleiro *et al.*,"Multiple species of CP 32 and Mch2 are the major active caspases present in apoptotic cells," *J. EMBO*, 16:2271, 1997.
	C12	Fernandes-Alnemri *et al.*, "CPP32, a novel human apoptotic protein with homology to *caenorhabditis elegans* cell death protein Ced-3 and mammalian interleukin-1β-converting enzyme," *J. Biol. Chem.*, 269(49):30761-30764, 1994.
	C13	Goldberg *et al.*, "Cleavage of huntingtin by apopain, a proapoptotic cysteine protease, is modulated by the polyglutamine tract," *Nat. Genet.*, 13(4):442-449, 1996.
	C14	Hartl *et al.*, "Molecular chaperones in protein folding: the art of avoiding sticky situations," *TIBS*, 19:20, 1994.
	C15	Hasegawa *et al.*, "Involvement of CPP32/Yama(-like) proteases in Fas-mediated apoptosis," *Cancer Res.*, 56:1713-1718, 1996.
	C16	Jackson *et al.*, "Chromatin fractionation procedure that yields nucleosomes containing near-stoichiometric amounts of high mobility group nonhistone chromosomal proteins," *Biochemistry*, 18:3739-3748, 1979.
	C17	Jacobson *et al.*, "Role of Ced-3/ICE-family proteases in staurosporine-induced programmed cell death," *J. Cell Biol.*, 133(5):1041-1051, 1996.
	C18	Kaufman *et al.*, "Specific proteolytic cleavage of poly(ADP-ribose) polymerase: an early mark chemotherapy-induced apoptosis," *Cancer Res.*, 53:3976-3985, 1993.
	C19	Kerr *et al.*, "Apoptosis: a basic biologial phenomenon with wide-ranging implications in Tissue Kinetics," *Br. J. Cancer*, 26:239, 1972.
	C20	Khokhlatchev *et al.*, "Reconstitution of mitogen-activated protein kinase phosphorylation cascades in bacteria," *J. Biol. Chem.*, 272(17):11057-11062, 1997.
	C21	Kuida *et al.*, "Decreased apoptosis in the brain and premature lethality in CPP32-deficient mice," *Nature*, 384:368-372, 1996.
WWM	C22	Lazebnik *et al.*, "Studies of the lamin proteinase reveal multiple parallel biochemical pathways during apoptotic execution," *Proc. Natl. Acad. Sci. USA*, 92:9042-9046, 1995.

25036660.1

EXAMINER: William W. Moore | DATE CONSIDERED: 29 May 2003

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

Form PTO-1449 (modified)	Atty. Docket No. UTSD:546USD1/GNS	Serial No. 09/748,451
List of Patents and Publications for Applicant's INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	Applicant Xiaodong Wang and Xuesong Liu	
	Filing Date: December 22, 2000	Group: 1652

U.S. Patent Documents	Foreign Patent Documents	Other Art
See Page 1	*See Page 1*	*See Page 1*

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
WWM	C23	Liu *et al.*, "Induction of Apoptotic Program in Cell-Free Extracts: Requirement for dATP and Cytochrome c," *Cell*, 86:147-157, 1996.
	C24	Liu *et al.*, "DFF, a heterodimeric protein that functions downstream of Caspase-3 to trigger DNA fragmentation during apoptosis," *Cell*, 89:175-184, 1997.
	C25	Liu *et al.*, "Purification and Characterization of an Interleukin-1β-converting Enzyme Family Protease that Activates Cysteine Protease P32 (CPP32)*," *J. Biol. Chem.*, 271:13371-13376, 1996.
	C26	Luo and Sawadogo, "Functional domains of the transcription factor USF2: Atypical nuclear localization signals and context-dependent transcriptional activation domains," *Mol. Cell Biol.*, 16(4):1367-1375, 1996.
	C27	Martin *et al.*, The cytotoxic cell protease granzyme B initiates apoptosis in a cell-free system by proteolytic processing and activation of the ICE/CED-3 family protease, CPP32, *via* a novel two-step mechanism," *J. EMBO*, 15(10):2407-2416, 1996.
	C28	Martins *et al.*, "Activation of multiple interleukin-1β converting enzyme homologues in cytosol and nuclei of HL-60 cells during etoposide-induced apoptosis," *J. Biol. Chem.*, 272:7421-7430, 1997.
	C29	Na *et al.*, "D4-GDI, a substrate of CPP32, is proteolyzed during Fas-induced apoptosis," *J. Biol. Chem.*, 271(19):11209-11213, 1996.
	C30	Nicholson and Thornberry, "Caspases: killer proteases," *TIBS*, 257:299-306, 1997.
	C31	Nicholson *et al.*, "Identification and inhibition of the ICE/CED-3 protease necessary for mammalian apoptosis," *Nature*, 376:37-43, 1995.
	C32	Paine *et al.*, "Protein loss during nuclear isolation," *J. Cell Biol.*, 97:1240-1242, 1983.
	C33	Peters *et al.*, "Evidence for the location of high mobility group protein T in the internucleosomal linker regions of trout testis chromatin," *J. Biol. Chem.*, 254:3358-3361, 1979.
	C34	Rädler *et al.*, "Structure of DNA-cationic liposome complexs DNA intercalation in multilamellar membranes in distinct interhelical packing regimes," *Science*, 275:810-814, 1997.
WWM	C35	Roche *et al.*, "The involvement of histone H1° in chromatin structure," *Nucleic Acids Res.*, 13:2843-2853, 1985.

25036660.1

EXAMINER: William W. Moore | DATE CONSIDERED: 29 May 2003

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

Form PTO-1449 (modified)	Atty. Docket No. UTSD:546USD1/GNS	Serial N . 09/748,451
List of Patents and Publications for Applicant's INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	Applicant Xiaodong Wang and Xuesong Liu	
	Filing Date: December 22, 2000	Group: 1652

U.S. Patent Documents	Foreign Patent Documents	Other Art
See Page 1	*See Page 1*	*See Page 1*

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
WWM	C36	Sakahira *et al.*, "Cleavage of CAD inhibitor in CAD activation and DNA degradation during apoptosis," *Nature*, 391(1):96-99, 1998.
	C37	Schlegel *et al.*, "CPP32/Apopain is a key interleukin 1β converting enzyme-like protease involved in Fas-mediated apoptosis," *J. Biol. Chem.*, 271:1841-1844, 1996.
	C38	Schroter and Bode, "The binding sites for large and small high-mobility-group (HMG) proteins," *Eur. J. Biochem.*, 127:429-436, 1982.
	C39	Shiraishi *et al.*, "Adenovirus-mediated gene transfer using in-situ perfusion of the liver graft," *Transplant International*, 1-0(3):202-206, 1997.
	C40	Smith and Moss, "Infectious poxvirus vectors have capacity for at least 25000 base pairs of foreign DNA," *Gene*, 25:21-28, 1983.
	C41	Song *et al.*, "DNA-dependent protein kinase catalytic subunit: a target for an ICE-like protease in apoptosis," *J. EMBO*, 15(13):3238-3246, 1996.
	C42	Song *et al.*, "DCP-1, a *drosophila* cell death protease essential for development," *Science*, 275:536-540, 1997.
	C43	Sun *et al.*, "Separate metabolic pathways leading to DNA fragmentation and apoptotic chromatin condensation," *J. Exp. Med.*, 179:559-568, 1994.
	C44	Takahashi *et al.*, "Affinity labeling displays the stepwise activation of ICE-related proteases by Fas, staurosporine, and CrmA-sensitive caspase-8," *Oncogene*, 14:2741-2752, 1997.
	C45	Tam *et. al.*, "SN^2 deprotection of synthetic peptides with a low concentration of HF in dimethyl sulfide: evidence and application in peptide synthesis," *J. Am. Chem. Soc.*, 105:6442-6455, 1983.
	C46	Tewari *et al.*, "Yama/CPP32β, a mammalian homolog of CED-3, is a CrmA-inhibitable protease that cleaves the death substrate poly(ADP-ribose) polymerase," *Cell*, 81:801-809, 1995.
	C47	Vaux, "CED-4 - The third horseman of apoptosis," *Cell*, 90:389-390, 1997.
WWM	C48	Walther and Stein, "Cell type specific and inducible promoters for vectors in gene therapy as an approach for cell targeting," *J. Mol. Med.*, 74:379-392, 1996.

25036660.1

EXAMINER: William W Moore | DATE CONSIDERED: 29 May 2003

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

Form PTO-1449 (modified)	Atty. Docket No. UTSD:546USD1/GNS	Serial No. 09/748,451
List of Patents and Publications for Applicant's INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	Applicant Xiaodong Wang and Xuesong Liu	
	Filing Date: December 22, 2000	Group: 1652

U.S. Patent Documents	Foreign Patent Documents	Other Art
See Page 1	*See Page 1*	*See Page 1*

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
	C49	Wang *et al.*, "Cleavage of sterol regulatory element binding proteins (SREBPs) by CPP 32 during apoptosis," J. *EMBO*, 15:1012-1020, 1996.
	C50	Wang *et al.*, "Mice lacking ADPRT and poly(ADP-ribosyl)ation develop normally but are susceptible to skin disease," *Gene & Dev.*, 9:509-520, 1995.
	C51	Wang *et al.*, "Nuclear protein that binds sterol regulatory element of low density lipoprotein receptor promoter," *J. Biol. Chem.*, 268(19):14497-14504, 1993.
	C52	Wang *et al.*, "Purification of an interleukin-1β converting enzyme-related cysteine protease that cleaves sterol regulatory element-binding proteins between the leucine zipper and transmembrane domains," *J. Biol. Chem.*, 270(30):18044-18050, 1995.
	C53	Wang *et al.*, "R-ras promotes apoptosis caused by growth factor deprivation via a Bcl-2 suppressible mechanism," *J. Cell Biol.*, 129:1103-1114, 1995.
	C54	White, "Life, death, and the pursuit of apoptosis," *Genes & Dev.*, 10:1-15, 1996.
	C55	Wong *et al.*, "Appearance of β-lactamase activity in animal cells upon liposome-mediated gene transfer," *Gene*, 10:87-94, 1980.
	C56	Wyllie, "An endonuclease at last," *Nature*, 391:20-21, 1998.
	C57	Wyllie *et al.*, "Cell Death: The Significance of Apoptosis," *Int. Rev. Cytol.*, 68:251-306, 1980.
	C58	Wyllie *et al.*, "Chromatin cleavage in apoptosis: association with condensed chromatin morphology and dependence on macromolecular synthesis," *J. Pathol.*, 142:67-77, 1984.
	C59	Wyllie, "The genetic regulation of apoptosis," *Curr. Opin. in Genet. Dev.*, 5:97-104,1995.
	C60	Xue *et al.* "The *Caenorhabditis elegans* cell-death protein CED-3 is a cysteine protease with substrate specificities similar to thos eo the human CPP32 protease," *Genes & Dev.*, 10:1073-1083, 1996.
	C61	Yokoyama *et al.*, "SREBP-1, a basic-helix-loop-helix-leucine zipper protein that controls transcription of the low density lipoprotein receptor gene," *Cell*, 75:187-197, 1993.
	C62	Yuan *et al.*, "The C. Elegans Cell Death Gene ced-3 Encodes a Protein Similar to Mammalian Interleukin-1β-Converting Enzyme," *Cell*, 75:641-652, 1993.
	C63	Zamzami *et al.*, "Mitochondrial control of nuclear apoptosis," *J. Exp. Med.*, 183:1533-1544, 1996.

25036660.1

EXAMINER: William W. Moore	DATE CONSIDERED: 29 May 2003

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.

Form PTO-1449 (modified)	Atty. Docket N . UTSD:546USD1/GNS	Serial No. 09/748,451
List of Patents and Publicati ns for Applicant's INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)	Applicant Xiaodong Wang and Xuesong Liu	
	Filing Date: December 22, 2000	Group: 1652

U.S. Patent Documents	Foreign Patent Documents	Other Art
See Page 1	*See Page 1*	*See Page 1*

Other Art (Including Author, Title, Date Pertinent Pages, Etc.)

Exam. Init.	Ref. Des.	Citation
	C64	Zou *et al.*, "Apaf-1, a Human Protein Homologous to C. elegans CED-4, Participates in Cytochrome c-Dependent Activation of Caspase-3," *Cell*, 90:405, 1997.
	C65	Halenbeck *et al.*, "CPAN, a human nuclease regulated by the caspase-sensitive inhibitor DFF45," *Current Biology*, 8:527-540, 1998.
	C66	International Search Report dated January 22, 1999 (PCT/US98/07895) (UTFD:546P).
	C67	Liu *et al.*, "The 40-kDa subunit of DNA fragmentation factor induces DNA fragmentation and chromatin condensation during apoptosis," *Proc. Natl. Acad. Sci. USA*, 95:8461-8466, 1998.
	C68	Mukae *et al.*, "Molecular cloning and characterization of human caspase-activated DNase," *Proc. Natl. Acad. Sci. USA*, 95:9123-9128, 1998.
	C69	Wu *et al.*, "Inhibition of Nf-kB/Rel induces apoptosis of murine B Cells," *EMBO J.*, 15:4682-4690, 1996.
	C70	Lee *et al.*, "Involvement of histone hyperaceltylation in triggering DNA fragmentation of rat thymocytes undergoing apoptosis," *FEBS Lett.* 395:183-187, 1996.
	C71	Cai *et al.*, "IkBalpha overexpression in human breast carcinoma NCF7 cells inhibits nuclear factor-kB activation but not tumor necrosis factor-alpha-induced apoptosis," *J. Biol. Chem.*, 272:96-101, 1997.
	C72	Waring *et al.*, "Apoptosis induced by gliotoxinis preceded by phosphorylation of histone H3 and enhanced sensitivity of chromatin to nuclease digestion,"

25036660.1

EXAMINER: William W. Moore | DATE CONSIDERED: 29 May 2003

EXAMINER: INITIAL IF REFERENCE CONSIDERED, WHETHER OR NOT CITATION IS IN CONFORMANCE WITH MPEP609; DRAW LINE THROUGH CITATION IF NOT IN CONFORMANCE AND NOT CONSIDERED. INCLUDE COPY OF THIS FORM WITH NEXT COMMUNICATION TO APPLICANT.